#### KOREA

#### HYUNDAI L&C HEADQUARTER

#### HYUNDAI L&C USA LLC

#### EUROPE

#### HYUNDAI L&C EUROPE GMBH

#### INDIA

#### HYUNDAI L&C INDIA PVT LTD

#### CHINA

#### HYUNDAI L&C TRADING (SHANGHAI) CO., LTD

Tel. +86 21 3252 2291 Email. sz.wang@hyundaish.com



























# **DESIGN BOOK**

Inspired by the Splendor of Nature



# Index

There may be some slight variation in colors between the printed

Hanex Solid Surfaces is committed to delivering products made to perfection. For more information,

and the sample.

# Cascade





CC-001 CASCADE ICE



CC-002 CASCADE CREAM



CC-003 CASCADE GREY



CC-004 CASCADE BEIGE



CC-006 CASCADE BLACK

### Venato



VM-001 VENATO SPARKLE



VM-002 VENATO SNOW



ST-302 BIANCO CLASSICO

ST-101 CLARA

Stratum



ST-303 VOLARE



ST-201 ROMANO



ST-204 MARRON

# Bellassimo



BL-201 KASHMERE



**BL-256** MOUNTAIN FROST



BL-206 SLATE GREY



**BL-209** MACASSAR

# Large Particulate



B-039 WILD FIRE



NA-01 BLANDO GL-006 CYGNUS



GAD-056 M-BLANC B-040 COPPER BLACK



GL-001 PEGASUS







GAM-004 SAND FLOWER





GAD-007 JUNO

# Small Particulate



T-050 ICE QUEEN



T-238 COLOMBIA



D-102 SEASHORE

D-012 LIGHT BROWN

D-003 GOLD BROWN

T-243 BROWN COOKIE

T-102 HIDDEN GLEN

T-239 STONE GREY

T-042 H-GRAVEL

T-025 CHESTNUT

T-104 COCOA VINE

RE-06 CACAO UMBER

RE-05 YURI GREY

P-010 GLUTTONY

CT-001 FROSTY CONCRETE P-005 NIGHT GLEAM

CT-002 MODERN CONCRETE D-028 BLACK BEAT

T-041 BLACK GLASS

C-004 CUBIC TRANSBLANC T-237 ICE CUBE



T-204 SILK VIVIAN

T-012 H-ELEGANCE

D-101 NANTUCKET

T-242 COFFEE BEAN

T-209 GROVIZU

P-002 METAL GREY

D-048 CRYSTAL MIRROR T-201 FETA CHEESE

T-089 VOCALISE



D-001 SILVER STONE



D-025 LIGHT SAND

D-046 CREAM CHEESE

T-021 PURE ARCTIC

C-001 CUBIC WHITE









# Solid



S-008 N-WHITE



M-012 MARINE BLUE

S-002 WHITE



S-019 BROWN FEVER





S-004 IVORY



S-006 GREY









M-005 N-ORANGE

# Benefits of Hanex®

Hanex Solid Surface is an acrylic solid surface material which is composed of Methyl Methacrylate (MMA) and Poly Methyl Methacrylate (PMMA) resin filled with Alumina-Trihydrate and other specialized formula to give it a timeless beauty and quality.






# **Seamless Design**

Sheets can be bonded together with inconspicuous seams. Smooth integration allows large areas without joints.

# Recyclable

Hanex is an eco-friendly material, as it is renewable and can be used again in its production process.



# No Radon Detected

Hanex is a safe product with no first-class carcinogen radon detected.



# Anti-Bacteria

Hanex is capable of withstanding the spread of other harmful germs and bacteria.



# Translucent

Various thickness of Hanex exhibit a special translucency when exposed to light.



# Thermoform

Sheets can be thermoformed to create curves of shapes of any designs.

# Movement Collection

Hanex is an acrylic solid surface material that is resistant to stains and chemicals and can be molded in a variety of designs with unique combinations of acrylic resin and natural materials. It pursues flexible and scalable designs that can be applied to various spaces such as kitchens, hotels, healthcare, and transportation, and increases the completeness of the space.





# Cascade New

Inspired by the natural beauty of cascading waterfalls. Cascade collection features feathery veining with subtle color variation that perfectly resemble the effortless flow of water.

Its low color contrast trait allows Hanex to be matched with any interior space.



# Venato New

preciousness of a marble.

Venato is a series of Hanex into
the design and manufacture of solid
surfaces which are not merely imitation
of the real marble.
After having reinterpreted the texture
and vein of calacatta, Hanex now offers
a new way of considering the



# Stratum

Stratum series is inspired by nature in a worldly perspective and is full filled with a soft range of colors and unique, organic patterns. You discover the artistic, unconventional scene of the nature. Enjoy the new view of the earth.

Create your own, unique and long-lasting atmosphere in the style of the depth and boundlessness of stone.




# Bellassimo

Discover the greatness and glory of Bellassimo collection which is inspired by the beauty of the night sky and twilight.

The vein expresses the colorful beauty of the sky, and the chip decorates the starlight of the night sky.

# Cascade New

Inspired by the natural beauty of cascading waterfalls. Cascade collection features delicate veining and subtle variation that perfectly resemble the effortless flow of water. Its low color contrast trait allows Hanex to be matched with any interior space.



Movement Collection

Cascade






Movement Collection Cascade

CC-001 | CASCADE ICE | 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



CC-002 | CASCADE CREAM 12mm X 760mm(W) X 3,680mm(L) / 59.4kg





Full Sheet

CC-003 | CASCADE GREY 12mm X 760mm(W) X 3,680mm(L) / 59.4kg




CC-004 | CASCADE BEIGE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



Movement Collection Cascade

CC-005 | CASCADE WHITE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



CC-006 | CASCADE BLACK 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



Movement Collection

# Venato New

Venato is a series of Hanex into the design and manufacture of solid surfaces which are not merely imitations of the real marble. After having reinterpreted the texture and vein of calacatta, Hanex now offers a new way of considering the preciousness of a noble Italian marble.






VM-001 | VENATO SPARKLE NEW

VM-002 | VENATO SNOW NEW



VM-001 | VENATO SPARKLE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



VM-002 | VENATO SNOW 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



# Stratum

This set of premium solid surfaces is inspired by the wispy movement and strata patterns within rocks and stones. The collection's timeless colors and styles offer incredible vibrancy, beauty and versatility-each can be effortlessly shaped into almost any form or structure by molding, machining or other appropriate processing.

This means they're undeniably ideal for countertops, shower walls and commercial interiors. Beyond that, Stratum can be used for interior accessories like clocks, frames, or chairs, and many others.



ST-20



ST-201 | ROMANO



ST-204 | MARRON



ST-302 | BIANCO CLASSICO

ST-101 | CLARA



ST-303 | VOLARE




Movement Collection Stratum

ST-101 | CLARA 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



Movement Collection Stratum

ST-201 | ROMANO 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



ST-204 | MARRON 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



ST-302 | BIANCO CLASSICO 12mm X 760mm(W) X 3,680mm(L) / 59.4kg





ST-303 | VOLARE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg

# Bellassimo

The colors within our Bellassimo Collection fuse versatility with beauty. Each of the colors are engineered to help you create an environment that impacts everyday lives.

Discover the greatness and glory of Bellassimo collection which is inspired by the beauty of the night sky and twilight.

The vein expresses the colorful beauty of the sky, and the chip decorates the starlight of the night sky.



BL-206 | SLATE GREY



BL-209 | MACASSAR



BL-201 | KASHMERE



BL-256 | MOUNTAIN FROST




BL-206 | SLATE GREY 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



Movement Collection Detail View

BL-201 | KASHMERE 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



BL-209 | MACASSAR 12mm X 760mm(W) X 3,680mm(L) / 59.4kg



BL-256 | MOUNTAIN FROST 12mm X 760mm(W) X 3,680mm(L) / 59.4kg


# Large Particulate

Hanex's premium solid surface, Large Particulate colors resemble distinguished and premium look of nature. The unique atypical chips and tone-on-tone colors create the natural and wild look.













**B-001** IVORY ESSENCE

B-012 OSLO WHITE


**B-031** HELSINKI

B-039 WILD FIRE

B-040 COPPER BLACK

**GAD-051** ATHENA





# Reference

Reference is where Hanex's various collections are applied, architectural and interior designers around the world.

We use Hanex to create diverse cultures.

- Corporate / TCL Corp(Shenzhen, China) S-008 N-White
- Corporate / Terminus(Shenzhen, China) S-008 N-White
- Corporate / Aekyung Corp(Seoul, Korea) ST-103 Nublado
- Corporate / Theta Offices(Bucharest, Romania) S-008 N-White













- Residential / Hyundai L&C Show room(Seoul, Korea)
  BL-206 Slate Grey
  - Residential / Private Residence(California, US)

    BL-256 Mountain Frost
  - Residential / Livart Show room(Yongin, Korea)
    T-228 Minerva RE-05 Yuri Grey
  - Residential / Aekyung Corp(Seoul, Korea) GAD-051 Athena
- Residential / Theta Offices(Bucharest, Romania)
  T-240 Dark Night



58




- Restaurant / The Courthouse Bar(Douglas, Isle of Man)
  S-008 N-White
  - Residential / Cafe Arinco(Seoul, Korea)

    BL-201 Kashmere
  - Show room / Team 7(Taipei, Thailand)
    S-008 N-White
  - Retail / Coex Mall (Seoul, Korea) S-008 N-White









- Moka Play / Space 1(Namyangju, Korea)
  M-012 Marine blue
- Moka Library / Space 1(Namyangju, Korea)
- Moka Garden / Space 1(Namyangju, Korea) S-008 N-white
- Information Desk / Space 1(Namyangju, Korea)
  M-007 M-black



# Safety Data Sheet

Hanex has various colors and patterns, and is made of the same materials both inside and outside.

It can compensate the disadvantages of laminate and coating. It can also be processed in limitless forms in which is not possible with laminate and natural stone.



the Splendor of Nature

Inspired by

## **Fire-Fighting Measures & Explosion**

#### Flammable Properties

"HANEX" can be combusted only with difficulty.

Hazardous gases/vapor produced in fire are carbon monoxide,
methyl methacrylate, aldehydes.

#### Extinguishing Media

Water, Dry chemical, CO2

#### Fire Fighting Instructions

Keep personnel removed and upwind of fire. Wear self-contained breathing apparatus.



#### **Accidental Release Measures**

#### Safeguard (Personnel)

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up.
Use appropriate PERSONAL PROTECTIVE during clean up.

#### Spill Clean Up

Recover undamaged and minimally contaminated material for reuse and reclamation.



## **Handling And Storage**

#### Handling

Avoid breathing fumes generated during sawing, routing or drilling.

Avoid dust generation.

#### Storage

Store in a cool place.



# **Exposure Controls & Personal Protection**

#### Engineering Controls (Ventilation)

Use ventilation that is adequate to keep employee exposure to air borne concentration below exposure limits.

#### Personal Protection

Protective equipment: EYE/FACE PROTECTION
Wear safety glasses during operations such as sawing, sanding, drilling or routing.



### **Disposal Consideration**

Dispose in accordance with federal, state and local regulation.

The owner of the material is responsible for proper waste disposal.



#### **Other Information**

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS: "HANEX" products

#### Certification

Hanex is highly regarded in the environment-friendly materials market with various environmental related certifications such as NSF, Greenguard, and SCS.

















## Composition **And Information** On Ingredients

Component	CAS	%
Polymethylmethacrylate	8011-14-7	>30
Alumina Trihydrate	21645-51-2	<70
Methylmethcrylate (Degradation Product)	80-62-6	<1

Heated above 300 dCe,g "HANEX" can release.

Safety Data Sheet

# **Technical Specification**

Specificaiton	

\* Request for available color for exterior cladding

Specificaiton	Result	Test Method
Specific Gravity	1.7	ASTM D792-08
Rockwell Hardness	90	ASTM D785-08
ensile Strength	43.8 Mpa	ASTM D638-10
ensile Modulus of Elasticity	12.6 Gpa	ASTM D638-10
Flexural Strength	58.8 Mpa	ASTM D790-10
lexural Modulus of Elasticity	10.6 GPa	ASTM D790-10
zod Impact Strength	16 J/m	ASTM D256-10
Vater Absorption	0.036 % (24h Immersion)	ASTM D570-98
Desnsity	1.7 g/cm2	ASTM D792-08
Heat Resistance Test	No Defects	JIS K 6902 : 2008
Hot Water Resistance Test	No Defects	JIS K 6902 : 2008
Deflection Temperature Under (1.82MPa)	115 oC	ASTM D648-07
hermal Expansion	3.93 x 10-5 1/oC	JIS K 6911 : 2006
Compressive Strength	118 Mpa	ISO 604 : 2002
ight Resistance	No Effect	NEMA LD3 3.03
Boiling Water	No Effect	NEMA LD3 3.05
Ball Impact Resistance	No Fracture on 3 Impacts	NEMA LD3 3.08
Resistance to Impact by Large Diameter Ball	Max Impact Height : 2m	ISO 4586-2
Point Impact Resistance	No Cracks or Chips	ANSI Z124.3 4.3
Stain Resistance Test	Pass	ANSI Z124.3 5.2
Vear and Cleanability Test	Pass	ANSI Z124.3 5.3
Cigarette Test	Pass	ANSI Z124.3 5.4
European Railway Standard for Fire Safety	R1, HL3	EN 45545
Resistance to Bacteria	No Growth	ASTM G22
Resistance to Fungi	No Growth	ASTM G21
uropean Classification Standard	B-s1, d0	EN 13501-1
açade Panel	ETA (European Technical Assessment)	DIBT
Veatherability (1,000 Hr) - Special Color Only	No Visual Change	ASTM G155

65

# Global Network

Hanex is ready to meet you anytime from all over the world.



# Central Office





Distributor

#### Global Network

### **Central Office**

#### HYUNDAI L&C HEADQUARTER

East Central Tower Building, 1077, Cheonho-daero, Gangdong-gu, Seoul, Korea (05340)

Tel: +82 2 6364 7488 / E-mail: info.stone@hyundailnc.com / Web: www.hyundailnc.com

#### DESIGN CENTER

East Central Tower Building, 1077, Cheonho-daero, Gangdong-Gu, Seoul, Korea (05340)

Tel: +82 80 729 8272 / E-mail: info.stone@hyundailnc.com

#### **R&D CENTER**

37, Buganggeumho-ro, Bugang-myeon, Sejong-si, Korea (30074)
Tel: +82 44 279 8000 / E-mail: info.stone@hyundailnc.com

#### HYUNDAI L&C USA LLC

Suite 1100, 2839 Paces Ferry Rd, Atlanta, GA, USA (30339)
Tel: +1 888 426 9421 / E-mail: info@hanexsolidsurfaces.com /
Web: www.hanexsolidsurfaces.com

#### HYUNDAI L&C EUROPE GMBH

Düsseldorfer Str. 13, Eschborn, Germany (65760)
Tel: +49 619 6586 9010 / E-mail: info@hyundailnc.eu / Web: hyundailnc.eu

#### HYUNDAI L&C INDIA PVT LTD

Unit No. 1303, JMD Regent Square Building, MG Road, Gurugram, Haryana, India (122001)

Tel: +91 96679 21158 / E-mail: ask.india@hyundailnc.com

#### HYUNDAI L&C TRADING (SHANGHAI) CO., LTD

Room 603, Mixc Mall A, Wuzhong Road 1799, MinHang District, Shanghai, China

Tel: +86 21 3252 2291 / E-mail: sz.wang@hyundaish.com / Web: hyundailnc.cn

#### **Plant**

#### L-TECH. SEJONG PLANT

37, Buganggeumho-ro, Bugang-myeon, Sejong-si, Korea (30074)

Tel: +82 44 279 8000

#### C-TECH, SEJONG PLANT

79-20, Geumhoangol-gil, Bugang-myeon, Sejong-si, Korea (30077)

Tel: +82 44 279 8000

#### AMERICAN SURFACING MATERIALS

2101 Baker Blvd, Temple, TX, USA (76501) Tel: +1 254 935 2601

#### **HYUNDAI L&C CANADA**

Address: 2860 Innovation Drive, London, Ontario, Canada (N6M 0C5)

Tel: +1 519 951 3154 / E-mail: info@hanstone.ca / Web: hanstone.ca

#### Showroom

#### VAUGHAN SHOWROOM

150 Caldari Road, Vaughan, Ontario (L4K 4L1) Tel: +1 905 660 3770

#### **GALLERY Q**

714, Nonhyeon-ro, Gangnam-gu, Seoul, Korea (06051) Tel: +82 2 508 4485

#### WEST COAST

16031 Carmenita Rd, Cerritos, CA, USA (90703) Tel: +1 562 6230600

#### SOUTHEAST

335 Riverside Parkway, Austell, GA, USA (30168) Tel: +1 678 398 2513

#### **MIDWEST**

2833 Charter St, Columbus, OH, USA (43228) Tel: +1 614 9690100

#### MID-ATLANTIC

135 Hartman Rd, North Wales, PA, USA (19454) Tel: +1 215 646 2546

#### **NEW ENGLAND**

292 Lonczak Rd, Chicopee, MA, USA (01022) Tel: +1 413 240 4400